

FR-E800

The Compact Drive Series



- Compact design – world's smallest class inverter
- Dual overload rating for top performance
- Reduce downtime by using AI functionality
- Functional safety
- Multiple control methods

World's smallest class inverter with high functionality



The multi-purpose inverter

The FR-E800 series frequency inverter is built upon Mitsubishi Electric's proven variable speed control technology throughout years of reliable operation across various constant and variable torque applications. Designed to save energy and minimize cost, the FR-E800 brings together advances in quality, performance, and predictive maintenance capabilities in one multi-purpose inverter.

These frequency inverters, with safety functionality meeting IEC 61508 standards, support various networks such as Ethernet or CC-Link IE TSN, a next-generation open industrial network, and make manufacturing smarter in various fields by integrating the world's first corrosive gas environment detection circuit and the industry's first AI-based diagnostic functions.

Three different models

- Standard models
- Ethernet models, which allows switching between Ethernet protocols simply by changing internal parameters
- Safety communication models that support Ethernet-based safety communication protocols certified as compliant with international standards.

Compact Design

Save space with a compact footprint to control 3-phase motors up to 30 kW at 200 V, 400 V and 600 V.

Dual Overload Rating

Achieve top performance while reducing space requirements and costs with two rating types of different rated current and permissible load.

Auto-tune to IM & PM motors

Setup and commission quickly and easily without time-consuming tuning or the need for on-site support.

Integrated PLC

Reduce internal components and save panel space, eliminating wiring time, and reducing system setup times. Operation of the system can be customized by the FR-E800's built-in PLC feature.

Inverter-to-Inverter linking

Create small-scale systems by connecting multiple inverters via Ethernet protocols. The communication between multiple inverters is carried out through the inputs/outputs and built-in PLC.

Life Diagnostics function

Analyze and determine the remaining lifetime of critical components, such as capacitors, contact relays, cooling fan, and inrush current limit resistor.



Improved environmental resistance


Various applications are supported by allowing for corrosive environments or a wide range of surrounding air temperatures. The FR-E800 operates at ambient temperatures from -20 °C to 60 °C and the control card is conformal coated to withstand harsh environments.



Water treatment plant

Painting line

PM sensorless vector control



The torque is not reduced in the high-speed range (up to the rated speed) during PM sensorless vector control as compared with operation using a stepper motor. High-speed system operation improves the tact time.

Predictive maintenance and data analysis

Integrating the world's first corrosive gas environment detection circuit makes it possible to identify signs of inverter damage caused by hydrogen sulfide or other corrosive gases, reducing equipment downtime. Maisart® is integrated into the inverter setup software FR Configurator2. The causes of downtime such as overcurrent caused by bursts of acceleration are analyzed using the industry's first AI-based diagnostic functions, helping to reduce such downtime.

Control method

Switching between control methods with the FR-E800 inverter, Vector control for lift application (with the plug-in option), Advanced magnetic flux vector control for conveyors, etc., reduces the number of required spare inverters.

PM sensorless vector control is available when inverters are used with PM motors.

CONTROL	SPEED CONTROL	TORQUE CONTROL	POSITION CONTROL	MOTOR
V/F control	●	—	—	Induction motor
Advanced magnetic flux vector control	●	—	—	
Real sensorless vector control	●	●	—	
PM sensorless vector control	●	—	○	PM motor
Vector control (with plugin option FR48APE kit used)	○	○	○	Induction motor

●: Supported ○: To be supported

Compatibility with both induction motors and PM motors


Energy-saving operation is enabled by using IE3/IE4 induction motors or permanent magnet (PM) motors. FR-E800 inverters support both types of motors, enabling step-by-step replacement of existing devices.

PLC function

In accordance with the machine specifications, users can set various operation patterns: inverter movements at signal inputs, signal outputs at particular inverter statuses or monitor outputs, etc. Operation of the system can be customized by the inverter alone.

Offline auto-tuning

As well as Mitsubishi Electric general-purpose (induction) motors and permanent magnet (PM) motors, various motors including non-Mitsubishi Electric induction motors and PM motors can be controlled as appropriate. Users can use existing motors with new inverters.



Flexible installation


When the surrounding air temperature is 40 °C or less, multiple inverters can be installed side-by-side. Users can select the most suitable layout for the intended installation area.




Side-by-side installation

Safety functions to ensure the safe operation of equipment

The safety of operators is ensured by the incorporation of safety functions conforming to international standards. The FR-E800 supports STO/SS1/SLS/SBC SSM and can be integrated into a SIL2/ SIL3 system.



Nomenclature chart



① To be released

Dual rating

For LD rating for light-duty applications, a smaller capacity controller may be used to drive a larger motor, resulting in reduced footprint and cost.

SINGLE-PHASE 200–240V	KW	A (ND)	DIMENSIONS (WxHxD) [MM]
E820S-0008	0.1	0.8	68x128x80.5
E820S-0015	0.2	1.5	68x128x80.5
E820S-0030	0.4	3	68x128x142.5
E820S-0050	0.75	5	108x128x135
E820S-0080	1.5	8	108x128x161
E820S-0110	2.2	11	140x128x142.5

THREE-PHASE 380–480V	KW	A (ND)	A (LD)	DIMENSIONS (WxHxD) [MM]
E840-0016	0.4	1.6	2.1	108x128x129.5
E840-0026	0.75	2.6	3.5	108x128x129.5
E840-0040	1.5	4	5.5	108x128x135
E840-0060	2.2	6	6.9	140x150x135
E840-0095	3.7	9.5	11.1	140x150x135
E840-0120	5.5	11.2	17.5	220x150x147
E840-0170	7.5	17	23	220x150x147
E840-0230	11	23	35	220x260x190
E840-0300	15	30	41	220x260x190
E840-0380	18.5	38	45	220x350x190
E840-0440	22	44	60	220x350x190

THREE-PHASE 200–240V	KW	A (ND)	A (LD)	DIMENSIONS (WxHxD) [MM]
E820-0008	0.1	0.8	1.3	68x128x80.5
E820-0015	0.2	1.5	2	68x128x80.5
E820-0030	0.4	3	3.5	68x128x112.5
E820-0050	0.75	5	6	68x128x132.5
E820-0080	1.5	8	9.6	108x128x135.5
E820-0110	2.2	11	12	108x128x135.5
E820-0175	3.7	17.5	19.6	140x128x142.5
E820-0240	5.5	24	30	180x260x165
E820-0330	7.5	33	40	180x260x165
E820-0470	11	47	56	220x260x190
E820-0600	15	60	69	220x260x190
E820-0760	18.5	76	88	220x350x190
E820-0900	22	90	115	220x350x190

European Offices

Mitsubishi Electric Europe B.V. Mitsubishi-Electric-Platz 1 D-40882 Ratingen Phone: +49 (0)2102 / 486-2048	Germany	Mitsubishi Electric (Russia) LLC 2 bld. 1, Lermokovskaya st. RU-115114 Moscow Phone: +7 495 / 721 2070	Russia
Mitsubishi Electric Europe B.V. Palašská 621/7 CZ-115 00 Praha 5 Phone: +420 734 402 587	Czech Rep.	Mitsubishi Electric Europe B.V. Carretera de Rubí 76-80 Jpdx. 430 E-08190 Sant Cugat del Valles (Barcelona) Phone: +34 (0) 93 / 5653131	Spain
Mitsubishi Electric Europe B.V. 25, Boulevard des Bouvets F-92741 Nanterre Cedex Phone: +33 (0)1 / 55 68 56 95	France	Mitsubishi Electric Turkey Elektrik Ürünleri A.Ş., Turkey Serifali Mahallesi Kale Sokak No:41 TR-34775 Ümraniye-İSTANBUL Phone: +90 (216) 969 25 00	Turkey
Mitsubishi Electric Europe B.V. Viale Colonnari 7 Palazzo Sirio I-20864 Agrate Brianza (MB) Phone: +39 039 / 60 53 1	Italy	Mitsubishi Electric Europe B.V. Travelers Lane UK-Hatfield, Herts. AL10 8XB Phone: +44 (0)1707 / 28 87 80	UK
Mitsubishi Electric Europe B.V. Wesgate Business Park, Ballymount IRL-Dublin 24 Phone: +353 (0)1 4198800	Ireland		
Mitsubishi Electric Europe B.V. Nijverheidsweg 23C NL-3641RP Mijdrecht Phone: +31 (0) 297 250 350	Netherlands		
Mitsubishi Electric Europe B.V. ul. Krakowska 48 PL-32-083 Balice Phone: +48 (0) 12 347 65 00	Poland		

Representatives

GEVA Wiener Straße 89 A-2500 Baden Phone: +43 (0)2252 / 85 55 20	Austria	Electrobit OÜ Pärnu mnt. 160 EST-11317 Tallinn Phone: +372 6518 140	Estonia	ALFATRADER Ltd. 99, Paola Hill Malta-Paola PLA 1702 Phone: +356 (0)21 / 697 816	Malta	SIMAP SK Dolné Páztve 603/97 SK-911 06 Trenčín Phone: +421 (0)32 743 04 72	Slovakia	EIM Energy 3 Plozy Square ET-11341 Heliopolis, Cairo Phone: +202 24552559	Egypt
OOO TECHNIKON Prospect Mechatroniki 177-9 BY-220125 Minsk Phone: +375 (0)17 / 393 1177	Belarus	UTU Automation Oy Pietari 37 FIN-28400 Ulvila Phone: +358 (0)207 / 463 500	Finland	INTENSIS SRL bld. Isaua 23/1 MD-2060 Kishinev Phone: +373 (0)22 / 66 4242	Moldova	INEA RBT d.o.o. Srepe 11 SI-1000 Ljubljana Phone: +386 (0)1 / 513 8116	Slovenia	SHERP MOTION TECH. Ltd. Relyov Hamelkana 19 IL-58851 Holon Phone: +972 (0)3 / 559 54 62	Israel
INEA RBT d.o.o. Bosnia and Herzegovina Stepne 11 SI-1000 Ljubljana Phone: +386 (0)17 513 8116	Bosnia and Herzegovina	UTEKO A.B.E.E. 5, Mavrounissos Str. GR-18542 Piraeus Phone: +30 (0)211 / 1206-900	Greece	Fonseca S.A. R. João Francisco do Casal 87/89 PT-3801-997 Aveiro, Esqueira Phone: +351 (0)234 / 303 900	Portugal	OMNI RAY AG Im Schörfis 5 CH-8600 Dübendorf Phone: +41 (0)44 / 802 28 80	Switzerland	CEG LIBAN Cebaco Center/Block A Autostrade DORA Lebanon-Beirut Phone: +961 (0)1 / 240 445	Lebanon
AKHNATON 4, Andrei Ljapchev Blvd., PO Box 21 BG-1756 Sofia Phone: +359 (0)2 / 817 6000	Bulgaria	MELTRADE Kft. Fertő utca 14, HU-1107 Budapest Phone: +36 (0)1 / 431-9726	Hungary	Sirius Trading & Services Aleea Lacul Morii Nr. 3 RO-0608-41 Bucuresti, Sector 6 Phone: +40 (0)21 / 430 40 06	Romania	CSC- AUTOMATION Ltd. 4 B, Yevhenia Sverstyuka Str. UA-02002 Kiev Phone: +380 (0)44 / 494 33 44	Ukraine	ADROIT TECHNOLOGIES 20 Waterloo Office Park 189 Witkoppen Road ZA-Fourways Phone: +27 (0)11 / 658 8100	South Africa
INEA CR Lisovska 4 a HR-10000 Zagreb Phone: +385 (0)1 / 36 940-01/-02/-03	Croatia	TDO Kazpromavtomatika Ul. Zhumbijev 28 KAZ-100017 Karaganda Phone: +7 7212 / 50 10 00	Kazakhstan	INEA SR d.o.o. Ul. Karadzijaeva 12/217 SER-11300 Smederevo Phone: +381 69 172 27 25	Serbia				
AutoCont C.S. S.R.O. Kafkova 1853/3 CZ-702 00 Ostrava 2 Phone: +420 595 691 150	Czech Republic	OAK Integrator Products SIA Ritauskas iela 23 LV-1058 Riga Phone: +371 67842280	Latvia						
HANS FOLSGAARD A/S Theilgaardsv Torv 1 DK-4600 Køge Phone: +45 4320 8600	Denmark	Automatikos Centras, UAB Pramonės pr. 17H LT-51327 Kaunas Phone: +370 57 262707	Lithuania						



Version check

Mitsubishi Electric Europe B.V. / Factory Automation EMEA headquarter
Mitsubishi-Electric-Platz 1 / 40882 Ratingen / Germany / <https://eu3a.mitsubishielectric.com>

Art. no. 580710-B / 03.2021 / Specifications subject to change / All trademarks and copyrights acknowledged.

