

Integrated signal lamp, single flash light, w. built-in electronic flash, red, 24 V DC, diameter 70 mm



## General technical data

<b>Product designation</b>	Flashlight element
<b>Consumed current maximum</b>	125 mA
<b>Type of voltage</b>	DC
• of the operating voltage	
<b>Operating voltage</b>	24 V
• 1 at DC rated value	
<b>Relative positive tolerance of the operating voltage</b>	10 %
<b>Relative negative tolerance of the operating voltage</b>	-10 %
<b>Reference code</b>	P
• acc. to DIN EN 81346-2	
<b>Mounting type</b>	Bayonet / flush mounting
<b>Material</b>	PC; PC/ABS; PA
<b>Color</b>	red





## Mechanical data

<b>Product component Light source</b>	Yes
<b>Type of electrical connection</b>	screw-type terminals
<b>Outer diameter of the signal column element</b>	75 mm

Lamp	
Design of the optical signal	flash light
Type of light source	Xenon gas discharge lamp
Light intensity	11 739 cd
Flash frequency	1 Hz
Number of flashes of light element	4 000 000



Ambient conditions	
Ambient temperature during operation	-20 ... +50 °C
Protection class IP	IP65
Depth	31 mm
Height	66 mm
Width	75 mm

### Certificates/ approvals

General Product Approval	EMC	Declaration of Conformity	other
 UL	 EAC	 RCM	 EG-Konf.
		<a href="#">Miscellaneous</a>	<a href="#">Confirmation</a>

### Further information

- Information- and Downloadcenter (Catalogs, Brochures,...)**  
[www.siemens.com/sirius/catalogs](http://www.siemens.com/sirius/catalogs)
- Industry Mall (Online ordering system)**  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WD5320-0CB>
- Cax online generator**  
<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=8WD5320-0CB>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**  
<https://support.industry.siemens.com/cs/ww/en/ps/8WD5320-0CB>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**  
[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=8WD5320-0CB&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=8WD5320-0CB&lang=en)



SIEMENS

last modified:

09/13/2019