



Door-coupling rotary operating mechanism standard with tolerance compensation  
 Size 100x 100, Shaft 10x 10, 300 mm, Test-0-I, Complete unit Handle 140 mm  
 Accessory for 3KD size 4, 3KF size 4

Model	
product brand name	SETRON
product designation	Door mounted rotary operator
design of the product	standard with tolerance compensation
design of handle	Gray
design of the door lock system	Door interlocking
size of cross-section of the shaft of door-coupling rotary operating mechanism	10x10 mm
size format of the masking frame of door-coupling rotary operating mechanism	100x 100 mm
length of handle	140 mm
length of shaft of door-coupling rotary operating mechanism	300 mm
protection class IP	IP65
suitability for use	3KC0 MTSE, 3KD size 1 and 2, 3KF size 1

Product details	
product description	size 100x100 mm, shaft 8 x8 mm
product component	
• extension shaft	Yes
• handle for emergency-OFF function	No
product feature lockable	Yes
display version for switch position indicator	test-0-I

Mechanical Design	
height	144 mm
width	98 mm
depth	450 mm
net weight	910 g

Approvals Certificates		
General Product Approval	Declaration of Conformity	Marine / Shipping



other	Environment
-------	-------------

[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

## Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1151-3AF21>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8UD1151-3AF21>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8UD1151-3AF21](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1151-3AF21)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/29/2022 

