OT80F4C

General Information

 Extended Product Type:
 OT80F4C

 Product ID:
 1SCA105418R1001

 EAN:
 6417019393537

Catalog Description: Manual change-over-switch, I-O-II, open transition OT80F4C

Long Description: Manual change-over switch, I-O-II -operation. Include terminal clamps, IP20.

Categories

Products » Low Voltage Products and Systems » Switches » Change-over and Transfer Switches » Manual Change-over Switches

Ordering

 EAN:
 6417019393537

 Minimum Order Quantity:
 1 piece

 Customs Tariff Number:
 85365080

Dimensions

Product Net Width: 140 mm

Product Net Height: 92 mm

Product Net Depth: 85 mm

Product Net Weight: 0.67 kg

Container Information

Package Level 1 Units: 1 piece
Package Level 1 Width: 102 mm
Package Level 1 Height: 103 mm
Package Level 1 Length: 205 mm
Package Level 1 Gross Weight: 0.67 kg
Package Level 1 EAN: 6417019393537

Environmental

RoHS Status: Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2009 Q3

Additional Information

Conventional Free-air Thermal q=40°C 80 A

Current (Ith):

Conventional Thermal Current (Ithe): Fully Enclosed 80 A

IIT Publishing Status: Level 0 - Information enabled

Number of Poles: 4

Operating Mechanism: Mechanism on top of the switch

Pollution Degree: 3

Position of Line Terminals:Top in - bottom outPower Loss:Per Pole 2.8 WProduct Main Type:OT63E_63F_CProduct Name:Change-over switch

Rated Impulse Withstand Voltage

(U_{imp}):

8 kV

Rated Insulation Voltage (U_i): 750 V

Rated Operational Current AC-21A (50

(l_e):

(500V) 80 A (690V) 80 A (380 ... 415 V) 80 A

Rated Operational Current AC-22A (I_e):

_

(380 ... 415 V) 80 A (500 V) 80 A (690 V) 80 A

Rated Operational Current AC-23A

(l_e):

(500 V) 58 A (380 ... 415 V) 75 A (690 V) 20 A (220 ... 240V) 22 kW

Rated Operational Power AC-23A

(P_e):

(400V) 37 kW (415V) 37 kW (500V) 37 kW (690V) 18.5 kW

Rated Operational Voltage (U_e): 750 V

Rated Short-time Withstand Current for 1.0s 1 kiloampere rms

(I_{cw}):

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 1SCC303020D0201

Classifications

Object Classification Code:

Q